

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 4

Revision: 18.10.2021

1 Identification of the subs	stance/mixture and of the company/undertaking
· Product identifier	
<ul> <li>Trade name</li> <li>Relevant identified uses of the substance or mixture and</li> </ul>	ombran flex - Komponente A
uses advised against Application of the substance	No further relevant information available.
/ the mixture	Polyurethane-sealent
• Details of the supplier of the s • Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>Emergency telephone</li> </ul>	msds@mc-bauchemie.de
number:	Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +48612864565
<b>2 Hazards identification</b> • <b>Classification of the substand</b> Acute Tox. 5 H303 May be harn Acute Tox. 5 H313 May be harn	mful if swallowed.
· Label elements · GHS label elements	The product is classified and labelled according to the Globally Harmonised System (GHS).
Hazard pictograms	Void
· Signal word · Hazard statements	Warning May be harmful if swallowed. May be harmful in contact with skin.
<ul> <li>Precautionary statements</li> <li>Other hazards</li> </ul>	Call a POISON CENTER/doctor if you feel unwell.
· Results of PBT and vPvB ass	
· PBT: · vPvB:	Not applicable. Not applicable.

(Contd. on page 2)

AE



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 4

Revision: 18.10.2021

Trade name ombran flex - Komponente A

(Contd. of page 1)

Page 2/8

#### 3 Composition/information on ingredients

Chemical	characterisation:	Mixtures
----------	-------------------	----------

• **Description:** Mixture consisting of the following components.

<sup>.</sup> Dangerous	components:			
1317-65-3	Calciumcarbonat		Acute Tox. 5, H303; Acute Tox. 5, H313	50-70%
471-34-1	calcium carbonate		Acute Tox. 5, H303	<25%
28553-12-0	diisononyl phthalate			<25%
· Additional i	information For	r the wordi	ng of the listed hazard phrases refer to section	on 16.

### 4 First aid measures

Description of first aid measu General information	No special measures required.
After inhalation	Supply fresh air; consult doctor in case of symptoms.
<sup>.</sup> After skin contact	The product is not skin irritating.
· After eye contact	Rinse opened eye for several minutes under running water.
· After swallowing	In case of persistent symptoms consult doctor.
Information for doctor	
• Most important symptoms	
and effects, both acute and	
delayed	No further relevant information available.
Indication of any immediate	
medical attention and special	
treatment needed	No further relevant information available.

#### 5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from
  - *the substance or mixture* No further relevant information available.
- · Advice for firefighters
- Protective equipment:
- No special measures required.

#### 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures

Not required.

- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

AE



Page 3/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 4

Revision: 18.10.2021

(Contd. of page 2)

Trade name ombran flex - Komponente A

· Reference to other sections

No dangerous materials are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7 Handling and storage

- · Handling
- · Precautions for safe handling Open and handle container with care.

None.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements. Information about storage in
- one common storage facility: Not required.
- Further information about storage conditions:
- · Specific end use(s)

No further relevant information available.

# 8 Exposure controls/personal protection

 Additional information about design of technical systems: No further data; see item 7.

· Control parameters

- Components with critical values that require monitoring at the workplace:
- 28553-12-0 diisononyl phthalate

WEL (Great Britain) Long-term value: 5 mg/m<sup>3</sup>

#### · DNELs

#### 1317-65-3 Calciumcarbonat

Oral DNEL 6.1 mg/kg bw/Tag (ArL)

- Inhalative DNEL 10 mg/m<sup>3</sup> (ArL)
- 471-34-1 calcium carbonate

Inhalative DNEL 4.26 mg/m<sup>3</sup> (ArL)

· PNECs

#### 1317-65-3 Calciumcarbonat

PNEC 100 mg/l (Sewage Treatment Plant)

· Additional information:

The lists that were valid during the compilation were used as basis. (Contd. on page 4)



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 4

Revision: 18.10.2021

Trade name ombran flex - Komponente A

	(Contd. of page 3)
Exposure controls	
Personal protective equipm	ent
General protective and	
hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.
Breathing equipment:	Not required.
Protection of hands:	Not required.
Material of gloves	- '
Penetration time of glove	
material	-
Eye protection:	Safety glasses

Information on basic physical and chen General Information	nical properties	
Appearance:		
Form:	Pasty	
Colour:	Whitish	
Smell:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling range:	Not determined	
Flash point:	190 °C	
Inflammability (solid, gaseous)	Not applicable.	
Ignition temperature:	420 °C	
Decomposition temperature:	Not determined.	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
Steam pressure:	Not determined.	
Density at 20 °C	1.75 g/cm³	
Relative density	Not determined.	
Vapour density Evaporation rate	Not determined. Not determined.	

AE



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 4

Revision: 18.10.2021

Page 5/8

#### Trade name ombran flex - Komponente A

	(Contd. of page 4)
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Not miscible or difficult to mix
· Partition coefficient: n-octanol/water:	Not determined.
<ul> <li>Viscosity: dynamic at 20 °C: kinematic:</li> </ul>	1170 mPas Not determined.
· Other information	No further relevant information available.

# 10 Stability and reactivity

· Reactivity

No further relevant information available.

 Chemical stability
 Thermal decomposition / conditions to be avoided:
 Possibility of hazardous reactions
 Conditions to avoid
 Incompatible materials:
 Hazardous decomposition products:
 No dangerous reactions known
 No further relevant information available.
 No further relevant information available.
 No further relevant information available.

# 11 Toxicological information

LD/LC:	50 valu	es that are relevant for classification:
1317-6	5-3 Cal	ciumcarbonat
Oral	LD50	>2000 mg/kg (rat)
Derma	LD50	>2000 mg/kg (rat)
471-34	-1 calci	ium carbonate
Oral	LD50	>2000 mg/kg (rat)
28553-	12-0 di	isononyl phthalate
Oral	LD50	10000 mg/kg (rat)
Seriou Respir sensiti	s eye d atory o sation	nt effect: lamage/irritation No irritant effect. r skin No sensitizing effect known. xicological
	ation:	The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for



Page 6/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 4

Revision: 18.10.2021

#### Trade name ombran flex - Komponente A

(Contd. of page 5) When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Terrisit		
Toxicity		
Aquatic toxicity:	4	
1317-65-3 Calciumcarbon		
EC50/72h >14 mg/l (Desm	• •	
<b>.</b> .	>10000 mg/l (Oncorhynchus mykiss)	
LC50/48h >1000 mg/l (Dap	hnia magna)	
EC50/48h >1000 mg/l (Dap	hnia magna)	
471-34-1 calcium carbona	te	
IC50/72h >1000 mg/l (alga	e)	
LC50/24h >10 mg/l (fish)		
LC50/96h >1000 mg/l (fish)		
EC50/48h >1000 mg/l (Dap	hnia magna)	
28553-12-0 diisononyl pht	halate	
EC50/72h 88 mg/l (algae)		
LC50/96h 102 mg/l (Danio		
EC50/48h 74 mg/l (Daphnia		
NOEC 101 mg/l (Daphr	101 mg/l (Daphnia magna)	
Persistence and degradat	ility No further relevant information available.	
Behaviour in environment	al systems:	
	No further relevant information available.	
Mobility in soil	No further relevant information available.	
Additional ecological info		
General notes:	Do not allow undiluted product or large quantities of it to read ground water, water bodies or sewage system.	
Results of PBT and vPvB		
PBT:	Not applicable.	
· vPvB: · Other adverse effects	Not applicable. No further relevant information available.	

# **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 4

Revision: 18.10.2021

(Contd. of page 6)

Page 7/8

Trade name ombran flex - Komponente A

Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

Transport information	
UN-Number ADR, ADN, IMDG, IATA	Void
UN proper shipping name ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
Packing group ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II Marpol and the IBC Code	l of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications
UN "Model Regulation":	Void

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing data specification sheet:

Environment protection department.

- · Contact:
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)

AE



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 4

Revision: 18.10.2021

Page 8/8

Trade name ombran flex - Komponente A

(Contd. of page 7)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 5: Acute toxicity – Category 5