

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 22

Revision: 17.02.2024

Page 1/8

| Product identifier | |
|---|--|
| Trade name Relevant identified uses of the substance or mixture an | ombran ASP |
| uses advised against Application of the substance | |
| / the mixture | Thickener pulps |
| Details of the supplier of the Manufacturer/Supplier: | e safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de |
| | MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 |
| Informing department: | msds@mc-bauchemie.de |
| Hazards identification | |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sh | nce or mixture kin irritation. |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sk Eye Dam. 1 H318 Causes se | nce or mixture kin irritation. erious eye damage. |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sh Eye Dam. 1 H318 Causes se Skin Sens. 1 H317 May cause | nce or mixture kin irritation. erious eye damage. e an allergic skin reaction. |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sk Eye Dam. 1 H318 Causes se Skin Sens. 1 H317 May cause STOT SE 3 H335 May cause | nce or mixture kin irritation. erious eye damage. e an allergic skin reaction. |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sh Eye Dam. 1 H318 Causes se Skin Sens. 1 H317 May cause | nce or mixture kin irritation. erious eye damage. e an allergic skin reaction. |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sk Eye Dam. 1 H318 Causes se Skin Sens. 1 H317 May cause STOT SE 3 H335 May cause Label elements | nce or mixture kin irritation. erious eye damage. e an allergic skin reaction. e respiratory irritation. The product is classified and labelled according to the Glob |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sh Eye Dam. 1 H318 Causes se Skin Sens. 1 H317 May cause STOT SE 3 H335 May cause Label elements GHS label elements | nce or mixture kin irritation. erious eye damage. e an allergic skin reaction. e respiratory irritation. The product is classified and labelled according to the Glob Harmonised System (GHS). |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sh Eye Dam. 1 H318 Causes se Skin Sens. 1 H317 May cause STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word Hazard-determining | nce or mixture kin irritation. erious eye damage. e an allergic skin reaction. e respiratory irritation. The product is classified and labelled according to the Glob Harmonised System (GHS). GHS05 GHS07 Danger |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sh Eye Dam. 1 H318 Causes se Skin Sens. 1 H317 May cause STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word | nce or mixture kin irritation. erious eye damage. e an allergic skin reaction. e respiratory irritation. The product is classified and labelled according to the Glob Harmonised System (GHS). GHS05 GHS07 Danger Portland cement Calciumsulfoaluminat-Klinker |
| Hazards identification Classification of the substan Skin Irrit. 2 H315 Causes sh Eye Dam. 1 H318 Causes se Skin Sens. 1 H317 May cause STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word Hazard-determining | nce or mixture kin irritation. erious eye damage. e an allergic skin reaction. e respiratory irritation. The product is classified and labelled according to the Glob Harmonised System (GHS). GHS05 GHS07 Danger Portland cement |



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31 Version number 22 Revision: 17.02.2024 Printing date 17.02.2024 Trade name ombran ASP (Contd. of page 1) · Precautionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. · Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

| Description: | Mixture consisting of the following components. | | |
|-------------------------|---|-----------|--|
| · Dangerous components: | | | |
| CAS: 14808-60-7 | Quartz (SiO2) | 30-60% | |
| CAS: 65997-15-1 | Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335 | 30-60% | |
| CAS: 68475-76-3 | Fly ash Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335 | ≥1-<2.5% | |
| | Calciumsulfoaluminat-Klinker | ≥1-<2.5% | |
| | Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 | | |
| Additional inform | nation For the wording of the listed hazard phrases refer to see | ction 16. | |

4 First aid measures

· Description of first aid measures

| Supply fresh air. |
|--|
| Instantly wash with water and soap and rinse thoroughly. |
| Rinse opened eye for several minutes under running water. |
| Seek medical treatment. |
| Rinse out mouth and then drink plenty of water. Seek medical treatment. |
| |

5 Firefighting measures

• Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture No further relevant information available.

(Contd. on page 3)

AE



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 22

Revision: 17.02.2024

(Contd. of page 2)

AE

Trade name ombran ASP

• Advice for firefighters • Protective equipment:

No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Environmental precautions: No special measures required.
 Methods and material for
- containment and cleaning up: Collect mechanically. • Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

Not required.

7 Handling and storage

- · Handling
- · Precautions for safe handling Prevent formation of dust.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in
 - one common storage facility: Not required.
- Further information about
- storage conditions: Storage class
- *Keep container tightly sealed.* 13
- 8 Exposure controls/personal protection
- Additional information about design of technical systems: No further data; see section 7.

· Control parameters

| • Components with critical values that require monitoring at the workplace: CAS: 14808-60-7 Quartz (SiO2) | | |
|--|---|--|
| | | |
| REL (USA) | Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A | |
| | (Contd. on page 4) | |



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 22

Revision: 17.02.2024

Trade name ombran ASP

| TLV (USA) | Long-term value: 0.025* mg/m ³ (Contd. of page |
|---|---|
| 1LV (USA) | *respirable particulate matter, A2 |
| BOELV (European Union) | Long-term value: 0.1* mg/m³ *respirable fraction |
| CAS: 65997-15-1 Portlan | |
| PEL (USA) | Long-term value: 50 mppcf or 15* 5** mg/m ³ |
| | *total dust **respirable fraction |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction |
| TLV (USA) | Long-term value: 1* mg/m³ |
| () | E; *as respirable fraction, A4 |
| WEL (Great Britain) | Long-term value: 10* 4** mg/m³ |
| | *inhalable dust **respirable dust |
| DNELs | |
| CAS: 65997-15-1 Portlan | |
| Inhalative DNEL 1 mg/m | |
| Additional information: | The lists that were valid during the compilation were used as basi |
| General protective and hygienic measures | pment Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. |
| General protective and hygienic measures | Keep away from foodstuffs, beverages and food. |
| | Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventilation |
| hygienic measures | Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filt apparatus. In case of intensive or longer exposure use breathin apparatus that is independent of circulating air. Protective gloves. |
| hygienic measures Breathing equipment: | Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filt apparatus. In case of intensive or longer exposure use breathin apparatus that is independent of circulating air. Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation |
| hygienic measures Breathing equipment: | Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filt apparatus. In case of intensive or longer exposure use breathin apparatus that is independent of circulating air. Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics Strong gloves The selection of the suitable gloves does not only depend on the |
| hygienic measures Breathing equipment: Protection of hands: | Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filts apparatus. In case of intensive or longer exposure use breathin apparatus that is independent of circulating air. Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics |
| hygienic measures Breathing equipment: Protection of hands: | Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filt apparatus. In case of intensive or longer exposure use breathin apparatus that is independent of circulating air. Protective gloves. Selection of the glove material on consideration of the penetration after use of gloves apply skin-cleaning agents and skin cosmetics. Strong gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from anufacturer to manufacturer. As the product is a preparation several substances, the resistance of the glove material can not a calculated in advance and has therefore to be checked prior to the application. |
| hygienic measures Breathing equipment: Protection of hands: Material of gloves | Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filt apparatus. In case of intensive or longer exposure use breathin apparatus that is independent of circulating air. Protective gloves. Selection of the glove material on consideration of the penetration after use of gloves apply skin-cleaning agents and skin cosmetics. Strong gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from anufacturer to manufacturer. As the product is a preparation several substances, the resistance of the glove material can not a calculated in advance and has therefore to be checked prior to the application. |



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 22

Revision: 17.02.2024

Trade name ombran ASP

Body protection:

Protective work clothing.

(Contd. of page 4)

Page 5/8

| Information on basic physical and General Information | d chemical properties | |
|--|------------------------------|--|
| Appearance: | | |
| Form: | Powder | |
| Colour: | Grey | |
| Smell: | Odourless | |
| pH-value: | Not applicable. | |
| Change in condition | | |
| Melting point/freezing point: | Not determined | |
| Initial boiling point and boiling | r ange: 2230 °C | |
| Flash point: | Not applicable | |
| Self-inflammability: | Product is not selfigniting. | |
| Explosive properties: | Product is not explosive. | |
| Steam pressure at 1732 °C: | 13.5 hPa | |
| Density at 20 °C | 2.8 g/cm³ | |
| Solubility in / Miscibility with | | |
| Water: | Unsoluble | |
| Viscosity: | | |
| dynamic: | Not applicable. | |
| kinematic: | Not applicable. | |
| Other information | | |

| Reactivity | No further relevant information available. |
|---------------------------|---|
| Chemical stability | |
| Thermal decomposition / | |
| conditions to be avoided: | No decomposition if used according to specifications. |
| Possibility of hazardous | |
| reactions | No dangerous reactions known |
| Conditions to avoid | No further relevant information available. |
| Incompatible materials: | No further relevant information available. |
| - | (Contd. on page |
| | |



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 22

Revision: 17.02.2024

(Contd. of page 5)

Trade name ombran ASP

 Hazardous decomposition products:

No dangerous decomposition products known

| Acute to | Information on toxicological effects Acute toxicity | | | |
|------------|--|--------------|--|--|
| LD/LC50 | values tha | t are releva | ant for classification: | |
| CAS: 659 | 97-15-1 Pc | ortland cem | nent | |
| Dermal | LD50 | 2000 mg/k | g (rabbit) | |
| Inhalative | LC50/4 h | 5 mg/l (rat) | | |
| Primary i | rritant effe | ct: | | |
| Skin corr | osion/irrita | ation | Irritant for skin and mucous membranes. | |
| | eye damag ory or skin | | Strong irritant with the danger of severe eye injury. | |
| sensitisa | | | Sensitization possible by skin contact. | |
| Additiona | al toxicolo | gical | | |
| informati | on: | _ | The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant | |

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
 - · Behaviour in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - *Mobility in soil* No further relevant information available.
 - Additional ecological information:
 General notes: Do I
 - Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
 - · Results of PBT and vPvB assessment
- PBT:

- Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

| 40 D:- | manal | | | |
|--------|-------|--------|--------|----------|
| 13 DIS | 00541 | consid | (arta) | 0 |
| | | | | |

- · Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

AE



Page 7/8

(Contd. of page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 22

Revision: 17.02.2024

Trade name ombran ASP

· Uncleaned packagings:

· Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

| Transport information | | |
|---|-----------------------------|--|
| · UN-Number · ADR, ADN, IMDG, IATA | Void | |
| · UN proper shipping name · ADR, ADN, IMDG, IATA | Void | |
| [.] Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| · Packing group · ADR, IMDG, IATA | Void | |
| · Environmental hazards: · Marine pollutant: | No | |
| · Special precautions for user | Not applicable. | |
| Transport in bulk according to Ann Marpol and the IBC Code | ex II of Not applicable. | |
| UN "Model Regulation": | Void | |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I
- None of the ingredients is listed. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing data specification sheet:
- Environment protection department.

· Contact:

- · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 8)

AE



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 22

Revision: 17.02.2024

Trade name ombran ASP

| | (Contd. of page 7 |
|--------------------------|---|
| | ICAO: International Civil Aviation Organisation |
| | ADR: Accord relatif au transport international des marchandises dangereuses pa route (European Agreement Concerning the International Carriage of Dangerou Goods by Road) |
| | IMDG: International Maritime Code for Dangerous Goods |
| | IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances |
| | CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) |
| | LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent |
| | PBT: Persistent, Bioaccumulative and Toxic |
| | vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 |
| | Eye Dam. 1: Serious eye damage/eye irritation – Category 2 |
| | Skin Sens. 1: Skin sensitisation – Category 1 |
| | STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 |
| * * Data compared to the | |