



BE SURE. BUILD SURE.

Page 1/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 33


Revision: 14.04.2025

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** ombran IW
- **Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- **Application of the substance / the mixture** *Regulated set cement*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de*

*MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*

2 Hazards identification

- **Classification of the substance or mixture**
*Acute Tox. 5 H303 May be harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**

GHS05
- **Signal word** *Danger*
- **Hazard-determining components of labelling:** *Portland cement (low chromate)
calcium oxide*
- **Hazard statements** *H303 May be harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.*

(Contd. on page 2)

AE



BE SURE. BUILD SURE.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 33

Revision: 14.04.2025

Trade name **ombran IW**

(Contd. of page 1)

- **Precautionary statements**
 - P280 *Wear protective gloves / eye protection / face protection.*
 - P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
 - P310 *Immediately call a POISON CENTER/doctor.*
 - P321 *Specific treatment (see on this label).*
 - P312 *Call a POISON CENTER/doctor if you feel unwell.*
 - P362+P364 *Take off contaminated clothing and wash it before reuse.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** *Mixture consisting of the following components.*

· **Dangerous components:**

CAS: 65997-16-2	Cement, alumina, chemicals Acute Tox. 5, H303	60-80%
CAS: 65997-15-1	Portland cement (low chromate) Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥10-<20%
CAS: 1305-78-8	calcium oxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335; Acute Tox. 5, H303; Acute Tox. 5, H313	≥3-<10%

- **Additional information** *For the wording of the listed hazard phrases refer to section 16.*

4 First aid measures

- **Description of first aid measures**
- **General information** *For all first aid measures: observe self-protection and consult a doctor!*
- **After inhalation** *Remove people from the dusty area.*
- **After skin contact** *Remove heavily soiled clothing. Clean with plenty of soap and water.*
- **After eye contact** *Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!*
- **After swallowing** *Do NOT induce vomiting. Rinse mouth with water. Medical attention required.*

AE

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 33

Revision: 14.04.2025

Trade name **ombran IW**

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** No dangerous materials are released.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
- **Information about storage in one common storage facility:** Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 6.2; 7 Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
- **Further information about storage conditions:** Store in a dry and frost-free place.

(Contd. on page 4)

AE



BE SURE. BUILD SURE.

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 33

Revision: 14.04.2025

Trade name ombran IW

· **Storage class**

13

(Contd. of page 3)

8 Exposure controls/personal protection

· **Additional information about**

design of technical systems: No further data; see section 7.

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

CAS: 65997-15-1 Portland cement (low chromate)

PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m ³ E; *as respirable fraction, A4
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust

CAS: 1305-78-8 calcium oxide

PEL (USA)	Long-term value: 5 mg/m ³
REL (USA)	Long-term value: 2 mg/m ³
TLV (USA)	Long-term value: 2 mg/m ³
IOELV (European Union)	Short-term value: 4 mg/m ³ Long-term value: 1 mg/m ³ Respirable fraction
WEL (Great Britain)	Short-term value: 4* mg/m ³ Long-term value: 2 1* mg/m ³ *respirable fraction

CAS: 69012-64-2 amorphous silicon dioxide

TLV (USA)	TLV withdrawn
-----------	---------------

· **DNELs**

CAS: 65997-15-1 Portland cement (low chromate)

Inhalative DNEL	1 mg/m ³ (ArL)
-----------------	---------------------------

CAS: 1305-78-8 calcium oxide

Inhalative DNEL	1 mg/m ³ (ArL)
-----------------	---------------------------

· **PNECs**

CAS: 1305-78-8 calcium oxide

PNEC	2.27 mg/l (BEL) 0.24 mg/l (Mew) 0.37 mg/l (Freshwater)
PNEC	817.4 mg/kg dwt (Bod)

· **Additional information:**

The lists that were valid during the compilation were used as basis.

(Contd. on page 5)



BE SURE. BUILD SURE.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 33

Revision: 14.04.2025

Trade name **ombran IW**

(Contd. of page 4)

- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**

*Do not store food, eat, drink, sniff or smoke in the work area!
 Avoid contact with eyes and skin!
 Clean hands thoroughly at the end of work and before breaks!
 Use skin care products after work (moisturising cream).
 Change and clean heavily soiled clothing!
 Change clothes at the end of work!*

- **Breathing equipment:**
- **Protection of hands:**
- **Material of gloves**
- **Penetration time of glove material**

*For work with higher dust loads particle filter class P2
 Check protective gloves prior to each use for their proper condition.
 Nitrile impregnated cotton gloves.*

- **Eye protection:**
- **Body protection:**

*The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
 Safety glasses
 Protective work clothing.*

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder
Colour: Grey
Smell: Odourless

· **pH-value:** Not applicable.

· Change in condition

Melting point/freezing point: Not determined
Initial boiling point and boiling range: Not applicable
 Not determined

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure:** Not applicable.

· **Density at 20 °C** 3.07 g/cm³

· Solubility in / Miscibility with

Water: Insoluble

· **Viscosity:**
dynamic:

Not applicable.

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 33

Revision: 14.04.2025

Trade name ombran IW

(Contd. of page 5)

kinematic: Not applicable.

Other information No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

CAS: 65997-16-2 Cement, alumina, chemicals

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

CAS: 65997-15-1 Portland cement (low chromate)

Dermal	LD50	2000 mg/kg (rabbit)
--------	------	---------------------

Inhalative	LC50/4 h	5 mg/l (rat)
------------	----------	--------------

CAS: 1305-78-8 calcium oxide

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>2500 mg/kg (rabbit)
--------	------	----------------------

- **Primary irritant effect:**
- **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** No sensitizing effect known.
- **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

AE

(Contd. on page 7)



BE SURE. BUILD SURE.

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 33

Revision: 14.04.2025

Trade name ombran IW

(Contd. of page 6)

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 65997-16-2 Cement, alumina, chemicals

LC50/96h	>100 mg/l (Oncorhynchus mykiss)
EC50/48h	6.6 mg/l (Daphnia magna)
NOEC	>100 mg/l (Oncorhynchus mykiss)
	3.2 mg/l (Pseudokirchneriella subcapitata)
	1.8 mg/l (Daphnia magna)
ErC50/72h	5.6 mg/l (Pseudokirchneriella subcapitata)

CAS: 1305-78-8 calcium oxide

EC50/72h	184.57 mg/l (algae)
LC50/96h	50.6 mg/l (Fis)
	158 mg/l (Mew)
EC50/48h	49.1 mg/l (Freshwater)
NOEC	32 mg/l (Mew)
	48 mg/l (algae)

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

AE

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 33

Revision: 14.04.2025

Trade name ombran IW

(Contd. of page 7)

14 Transport information

· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.
- **Contact:**
- **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

AE



BE SURE. BUILD SURE.

Page 9/9

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 33

Revision: 14.04.2025

Trade name ombran IW

(Contd. of page 8)

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 5: Acute toxicity – Category 5
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the
previous version altered.**

AE